

Figures

Figure 114 of 183

1/69




FIG. 1

69

2/69




FIG. 2

3/69




FIG. 3

4/69




FIG. 4





FIG. 5

6/69



7/69




FIG. 7

8/69

PRINT [?] [X]

PRINTER

NAME: **PROPERTIES** 814

STATUS: IDLE

TYPE: XEROX 4517 POSTSCRIPT LEVEL 2

WHERE: TIMES.GRENOBLE.XRCE.XEROX.COM-PASSTHRU ☐ PRINT TO FILE

COMMENT: XEROX N2125 B&W DUPLEX - LE CHATEAU - 2ND FLOOR

PAGE RANGE

☒ ALL ☐ CURRENT PAGE ☐ SELECTION

☐ PAGES:

ENTER PAGE NUMBERS AND/OR PAGE RANGES SEPERATED BY COMMAS. FOR EXAMPLE 1,3,5-12 804

COPIES

NUMBER OF COPIES: 806

☒ COLLATE

ENRICHMENT

☒ PERSONALITY: ☐ SELECT A PERSONALITY FOR ME

APPLY ENRICHMENT TO:

☒ ALL ☐ CURRENT PAGE ☐ SELECTION

☐ PAGES:

INSERT ENRICHMENT AS:

☒ LINKS ☐ CONTENT **OPTIONS...**

808 **ZOOM 802** **810**

PRINT WHAT: PAGES PER SHEET:

PRINT: SCALE TO PAPER SIZE:

OPTIONS... **OK** **CANCEL**

FIG. 8

800

9/69

PRINT DOCUMENT PROPERTIES

LAYOUT **PAPER/QUALITY** **ENRICHMENT**

902 ☒ PERSONALITY: **BUSINESS** ☐ SELECT PERSONALITY FOR ME 900

PROVIDE ENRICHMENT BY: 901

☒ PRINTING WITH DOCUMENT

☐ STORING AT SERVER

INSERT ENRICHMENT AS: 901

☒ LINKS

☐ CONTENT

WHEN STORING ENRICHMENT AT SERVER: 904

☒ EMAIL ME WHEN COMPLETED

ADDRESS:

☐ DO NOT NOTIFY ME

CAPTURE POINT: 906

☒ AT WORKSTATION 908

☐ AT PRINT SERVER

ADVANCED

OK **CANCEL**

FIG. 9




FIG. 10

11/69




FIG. 11

12/69




FIG. 12

13/69

1310

CREATE/MODIFY A GROUP OF EXISTING PERSONALITIES

1316

Name	Creation Date
Technology Watch in Computer Sciences	2001-03-16 14:08:06
Watch Business	2001-03-16 14:08:08
Watch Legal	2001-03-16 14:08:10
Watch Intellectual Property	2001-03-16 14:08:10
Scientific Watch in Medicine	2001-03-16 14:08:10

1312

1314

1318

HISTORICAL WATCHBUSINESS SERVICES

those Services are classified by Service Categories, a ticked checkbox meaning that the according service is attached to the selected personality.

Click on this icon to view all available service categories

Search Engine

- *Nicky Google People Google Lucky Result*

Stock Quotes

- *Bloomberg Stock Quoter*

OK CANCEL

FIG. 13

14/69

1404	1422	1420	1408	1424	1432	1452	1451	1455	1453	1456	1454
SEARCH ENGINE	NAME	ENTITY TYPE	ANNOTATE	DEPTH	PROVIDER	COST	QUERY	REFRESH			
<input checked="" type="checkbox"/>	COMPUTING	COMPUTING	ALWAYS	0	YAHOO	FREE	LINK	DAILY			
<input type="checkbox"/>	BIOLOGY	BIOLOGY	ALWAYS	0	GOOGLELUCKY	NULL	LINK	NEVER			
<input type="checkbox"/>	MEDICINE	MEDICINE	ALWAYS	0	ALTAVISTA	FEE	LINK	AUTO			
<input type="checkbox"/>	APPLY PAIRS OF ENTITIES AND IDENTIFY 3RD PARTY ENTITIES	COMPANIES	EXPERT	0	GOOGLELUCKY	NULL	CONTENT	NULL			
<input type="checkbox"/>	APPLY PAIRS OF ENTITIES USING GOOGLELUCKY	PRODUCTS	ALWAYS	2	NORTHERNLIGHTS	NULL	LINK	WEEKLY			
<input type="checkbox"/>	COUNTRIES	COUNTRIES	NOVICE	0	GOOGLELUCKY	FEE	CONTENT	UNTIL 2003			
<input type="checkbox"/>	ASTRONOMY	ASTRONOMY	ALWAYS	1	GOOGLE	NULL	LINK	MONTHLY			
<input checked="" type="checkbox"/>	PEOPLE	PEOPLE	ALWAYS	3	GOOGLE-PEOPLE	NULL	LINK	NULL			
					VIEW HIERARCHY						
					SET DEPTH						

FIG. 14

15/69

1502

The screenshot shows a software window titled "CREATE/MODIFY MY PERSONALITIES" with a standard Windows-style title bar (minimize, maximize, close buttons). The window contains the following elements:

- NAME:** A label followed by a "BROWSE" button and a text input field (labeled 1504).
- Radio Buttons:** Four radio buttons are arranged vertically, each followed by a text box:
 - The first radio button (labeled 1506) is selected and followed by the text "CREATE/MODIFY A GROUP OF EXISTING PERSONALITIES".
 - The second radio button (labeled 1508) is followed by the text "USE SELECTED DOCUMENTS AND/OR FOLDERS TO CREATE A NEW PERSONALITY". Below this text is a "BROWSE" button and a text input field (labeled 1509).
 - The third radio button (labeled 1510) is followed by the text "USE SELECTED FILE/WEBSITE TO CREATE A NEW PERSONALITY". Below this text is a "BROWSE" button and a text input field.
 - The fourth radio button (labeled 1520) is followed by the text "CREATE QUESTION FORM USING PERSONALITY LEXICONS". Below this text is a label "QUESTION:" followed by a text input field.
- Hint:** A label followed by a text input field (labeled 1514).
- Knowledge Level:** A label "1516 KNOWLEDGE LEVEL:" followed by two radio buttons:
 - The first radio button is selected and labeled "NOVICE".
 - The second radio button is labeled "EXPERT".
- Buttons:** At the bottom right, there are "OK" and "CANCEL" buttons (labeled 1512).

FIG. 15

16/69

1600

CREATE/MODIFY A GROUP OF EXISTING PERSONALITIES

NAME: TECHNOLOGY WATCH IN ORGANIC CHEMISTRY

OPERATION:

☒ MERGE 1602

☐ SUBTRACT 1604

PERSONALITY A ▼

WITH/FROM

PERSONALITY B ▼

OK CANCEL

FIG. 16

17/69




FIG. 17

18/69




FIG. 18

19/69




FIG. 19

FIG. 19 is a schematic diagram of a Scientific Content Provider (S.C.P.) interface. The interface is labeled 1900 and features a title bar "SCIENTIFIC CONTENT PROVIDER (S.C.P.):" with standard window controls. Below the title bar is a search input field labeled 1901 and a "SEARCH" button. Underneath is a "SEARCH IN:" section with four radio button options: "ALL FOLDERS" (labeled 1902), "PHYSICS FOLDER" (labeled 1903), "CHEMISTRY FOLDER" (labeled 1904), and "BIOLOGY FOLDER" (labeled 1905). The "ALL FOLDERS" option is selected.

20/69

SCIENTIFIC SEARCH <input type="checkbox"/> <input type="checkbox"/>									
SEL	NAME	ENTITY TYPE	ANNOTATE	DEPTH	PROVIDER	COST	QUERY	REFRESH	
<input checked="" type="checkbox"/>	ALL FOLDERS RESULT OF SCIENTIFIC CONTENT PROVIDER	STANDARD	ALWAYS	0	S.C.P.	FREE	CONTENT	NULL	
<input type="checkbox"/>	PHYSICS RESULT OF SCIENTIFIC CONTENT PROVIDER	PHYSICS	ALWAYS	0	S.C.P.	FREE	CONTENT	NULL	
<input type="checkbox"/>	CHEMISTRY RESULT OF SCIENTIFIC CONTENT PROVIDER	CHEMISTRY	ALWAYS	0	S.C.P.	FREE	CONTENT	NULL	
<input type="checkbox"/>	BIOLOGY RESULT OF SCIENTIFIC CONTENT PROVIDER	BIOLOGY	ALWAYS	0	S.C.P.	FREE	CONTENT	NULL	

2004

2002

FIG. 20

21/69




FIG. 21

22/69




FIG. 22

23/69




FIG. 23

24/69




FIG. 24

25/69

2502

E-LEARNING SERVICES ASSOCIATED WITH E-LEARNING PERSONALITY	
SEL	
<input checked="" type="checkbox"/>	LINK WORDS OR MULTWORD EXPRESSIONS FOUND IN THE DOCUMENT TO THEIR DEFINITIONS
<input checked="" type="checkbox"/>	LINK WORDS OR MULTWORD EXPRESSIONS FOUND IN THE DOCUMENT TO THEIR TRANSLATIONS
<input checked="" type="checkbox"/>	LINK EACH TEXT UNIT (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) TO A TUTORIAL CONCERNING EACH TEXT UNIT
<input checked="" type="checkbox"/>	LINK EACH TEXT UNIT (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) TO AN EXPERT CONCERNING IDENTIFIED SUBJECTS
<input checked="" type="checkbox"/>	LINK EACH TEXT UNIT (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) TO AN INTERACTIVE COURSE ABOUT IDENTIFIED SUBJECTS
<input checked="" type="checkbox"/>	LINK EACH TEXT UNIT (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) TO A LIST OF REAL WORLD CLASSES ABOUT IDENTIFIED SUBJECTS
<input checked="" type="checkbox"/>	LINK TEXT UNITS TO (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) LEARNING RESOURCES CONCERNING EACH TEXT UNITS

FIG. 25

26/69

2602

LANGUAGE LEARNING SERVICES ASSOCIATED WITH LANGUAGE LEARNING PERSONALITY	
2604	<input checked="" type="checkbox"/> LINK WORDS OR MULTWORD EXPRESSIONS FOUND IN THE DOCUMENT TO THEIR DEFINITIONS
2606	<input type="checkbox"/> LINK WORDS OR MULTWORD EXPRESSIONS FOUND IN THE DOCUMENT TO THEIR TRANSLATIONS
2608	<input type="checkbox"/> LINK EACH SENTENCE, OR PHRASE, TO A GRAMMATICAL DESCRIPTION OF THE STRUCTURE OF THE SENTENCE OR PHRASE
2610	<input type="checkbox"/> LINK EACH WORD, MULTWORD EXPRESSION, PHRASE OR SENTENCE TO OTHER INSTANCES OF THE SAME IN DIFFERENT CONTEXTS FROM THE PRESENT
2612	<input type="checkbox"/> LINK EACH WORD, MULTWORD EXPRESSION, PHRASE OR SENTENCE TO ONE OR MORE INTERACTIVE GRAMMAR EXERCISES CONCERNING THAT ELEMENT
2614	<input checked="" type="checkbox"/> LINK EACH TEXT UNIT (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) TO A LIST OF REAL WORLD CLASSES ABOUT IDENTIFIED LANGUAGE
2616	<input checked="" type="checkbox"/> LINK TEXT UNITS TO (I.E., DOCUMENT, PARAGRAPH, PHRASE, WORD) LANGUAGE LEARNING RESOURCES CONCERNING EACH TEXT UNITS

FIG. 26

27/69

2710

STOCK QUOTE OPTIONS

2718 2720

PROPERTIES

UPDATE FREQUENCY: EVERYDAY

INSERT INFORMATION AS:

2714 ☐ LINK ☒ CONTENT 2716 ☐ DETERMINE AUTOMATICALLY 2724

2712

APPLY SERVICE BEHAVIOR TO

☐ ALL DOCUMENTS

☒ CURRENT DOCUMENT

☐ SELECTION ONLY

OK CANCEL

FIG. 27

28/69




FIG. 28

29/69




FIG. 29

30/69




FIG. 30

31/69




FIG. 31

FIG. 31 is a flowchart illustrating a process for generating query strings. The process starts at node 3006 and proceeds to step 3152: "START GENERATION OF QUERY STRINGS BY TOKENIZING WORDS IN THE ACCESSED DOCUMENT". This step leads to step 3154: "ELIMINATE STOP WORDS". From 3154, the process moves to step 3156: "SELECT METHOD". Step 3156 branches into two parallel paths: one leading to step 3162: "IDENTIFY ENTITIES IN REMAINING WORDS", and another leading to step 3166: "IDENTIFY N-GRAM OF REMAINING WORDS TO GENERATE QUERY STRINGS". Step 3162 leads to step 3160: "GENERATE QUERY STRINGS USING IDENTIFIED ENTITIES". Step 3166 leads to step 3164: "GENERATE QUERY STRINGS USING IDENTIFIED CHUNKS". Both 3160 and 3164 lead to a central junction point 3150. From 3150, the process continues to step 3168: "PERFORM STEMMING TO QUERY STRINGS". This is followed by step 3170: "FORMULATE QUERY USING QUERY STRINGS AND CONTEXT INFORMATION", then step 3172: "PERFORM QUERY ON THE INTERACTION HISTORY", and finally step 3174: "RANK RESULTS". The process concludes at node 3010. A dashed line labeled 3008 encloses the steps from 3152 to 3174.

32/69




FIG. 32

33/69

3218

ENTITY	ENTITY TYPE	VISITS	LAST VISIT	ACTION LIST	DMOZ CATEGORY	LOCATION	POS	MARKUP
XEROX	BUSINESS	45	11/4/2000	VIEW (43), PRINT(2)	BUSINESS	40	NOUN	WWW.XEROX.COM
XEROX	BUSINESS	1	5/1/2001	VIEW(1)	FINANCE	689	NOUN	WWW.NYTIMES.COM
XEROX	BUSINESS	4	2/22/2001	EMAIL(1), VIEW(3)	COMPUTER	343	NOUN	WWW.GYROCON.COM
...

FIG. 33

FIG. 33 is a table showing data for XEROX entities. The table has columns for ENTITY, ENTITY TYPE, VISITS, LAST VISIT, ACTION LIST, DMOZ CATEGORY, LOCATION, POS, and MARKUP. The data rows show XEROX entities with various visit counts, last visit dates, action lists, DMOZ categories, locations, POS values, and markup URLs.

34/69




FIG. 34





FIG. 36



38/69




FIG. 38

40/69





FIG. 40



42/69




FIG. 42

43/69




FIG. 43

44/67




FIG. 44

45/67




FIG. 45

46/67





FIG. 46



48/69

(A) KEY	(B) ENTITY	(C) MARKUP	(D) FORMAT	(E) ORIGIN	(F) ORIGIN POSITION	(G) PART OF SPEECH	(H) CONTEXT
Sili	Silicon Valley	www.siliconvalley.com	Capitalize	TARGET DOCUMENT CONTENT	1	Noun	Science
Dig	Digital	www.digital.com	®	www.digital.com	434	Adjective	Science
Dig	DigiPaper	NONE	Bold	www.parc.xerox.com	23	Noun	Science
Dig	digress	NONE	NONE	www.nytimes.com	343	Verb	Politics
...

FIG. 48

49/69




FIG. 49




FIG. 50

51/69




FIG. 51

52/69




FIG. 52

53/69

5300

DIRECTED SEARCH

5302 Get: For: 5304

5306 Insert Result as: ☐ Link ☒ Content ☐ Metadata

5308 Update Frequency:

5310

Select Providers

Reuters
Thomson
Hoover

5318 Search Selected Providers By:

5320 ☒ Cost

5322 ☐ Speed

Ensures:

Language of text is:

☒ Premium ☐ Non-Premium

☐ Low Quality ☒ High Quality

☐ Copyrighted ☒ Not Copyrighted

☐ Free ☒ Paid Max price \$:

Maximum number of words:

5312

5314

Location Of Results:

☒ After Current Selection

☐ Before Current Selection

☐ As Comment To Current Selection

☐ As Footnote To Current Selection

Current Selection is:

Xerox in the past five years has seen tremendous growth

5315

5317

5316

Cancel Insert

FIG. 53

54/69

5400

```
<service id='Products'
  refresh=30
  insert='Content'
  language='En'
  quality='Premium&High&Not-copyrighted&paid'
  maxprice='50'
  maxwords='2000'
  search='cost'>
  <entity>Xerox
    <offsets>13 18 456 461 710 715</offsets>
    <provider name='Thomson' id=18></provider>
    <provider name='Reuters' id=19></provider>
  </entity>
</service>
```

FIG. 54

55/69

5500

IMPORT/EXPORT [?] [X]

EXPORT NAME: 5502

EXPORT:

- ☒ ORIGINAL DOCUMENT CONTENT
- ☒ DOCUMENT MARKUP (I.E., ENRICHMENT)
- ☒ PERSONALITIES

5504

5506

5508

☐ IMPORT NAME: 5512

IMPORT:

- ☒ ALL CONTENT
- ☐ SELECTED CONTENT ONLY
 - ☐ ORIGINAL DOCUMENT CONTENT
 - ☐ DOCUMENT MARKUP (I.E., ENRICHMENT)
 - ☐ PERSONALITIES

5510

- ☒ BIND UN-MATCHED ELEMENTS

5514

- ☒ ENHANCE BOUND ELEMENTS WITH EXISTING SERVICE PROVIDERS

5514

FIG. 55

56/69

```

<!-- SERVER ID>
<docsouls:serverid> DS v1.0 server name </docsouls:serverid>
<!-- PROPERTIES OF DOCUMENT>
  <docsouls:docid> xxx </docsouls:docid>
  <docsouls:name> xxx </docsouls:name>
  <docsouls:owner> xxx </docsouls:owner>
  ...
<!-- ORIGINAL DOCUMENTS DOCUMENT CONTENT>
<docsouls:originaldoc format="HTML">toto.html</docsouls:originaldoc>
<docsouls:browsingdoc format="HTML">browse.html</docsouls:browsingdoc>

<!-- LIST OF PERSONALITIES AND DOCUMENT SERVICE REQUESTS>
<docsouls:endowmentdescription>
  <!-- LIST OF PERSONALITIES>
    <docsouls:personality id = " " name=" " etc.>
    <docsouls:service id=" " name=" " etc.>
      <docsouls:provider name=" " etc.>
        <docsouls:provider name=" " etc.>
      </docsouls:service>
    </docsouls:personality>
  ...
  <!-- LIST OF SERVICE REQUESTS>
    <docsouls:service id=" " name=" " etc.>
      <docsouls:provider name=" " etc.>
        <docsouls:provider name=" " etc.>
      </docsouls:service>
    ...
  </docsouls:endowmentdescription>

```

FIG. 56

57/69

```

<!-- DESCRIPTIONS OF PERSONALITIES>
<docsouls:personalitydescription>
  <docsouls:id> xx </docsouls:id>
  <!-- all the fields AND service categories>
  <docsouls:servicecategory id="" name = "">
</docsouls:personalitydescription>

<!-- NEXT PERSONALITY DESCRIPTION>
...

<!-- DESCRIPTION OF DOCUMENT SERVICE REQUESTS>
<docsouls:servicedescription>
  <docsouls:id> xx </docsouls:id>
  <!-- list all fields (e.g., "refresh period", category, etc.)>
  <!-- list all providers>
  <docsouls:provider id="" name = "">
  <!-- list all strategies>
  <!-- list status of services (original, frozen, mapped, etc.)>
  <docsouls:servicestatus status="mapped" originalid="" originalserver="">
  <!-- list ServerId if the service was not available on current server>
  <docsouls:serverid>id</docsouls:serverid>
</docsouls:servicedescription>

<!-- NEXT SERVICE REQUESTS DESCRIPTION>
...

```

FIG. 57

58/69

```

<!-- DESCRIPTION OF PROVIDERS >
<docsouls:providerdescription>
  <docsouls:id> xx </docsouls:id>
  <!-- all the fields e.g. key, URL, etc.>
</docsouls:providerdescription >

<!-- DESCRIPTION OF DICTIONARIES >
<docsouls:dictionarydescription>
  <docsouls:id> xx </docsouls:id>
  <!-- all the fields, e.g. category>
</docsouls:dictionarydescription>

<!-- DESCRIPTION OF STRATEGY >
<docsouls:strategydescription>
  <docsouls:id> xx </docsouls:id>
  <!--all the fields>
  <!--all the dictionaries>
</docsouls:strategydescription>

<!-- RESULTS OF GLOBAL SERVICES >
<docsouls:globalservice id="Summary">
  <docsouls:link> xxx </docsouls:link>
  <docsouls:content> xxx </docsouls:content>
</docsouls:globalservice>

<!-- OTHER RESULTS (E.G. KEYWORDS, CATEGORIES, ETC.) >

```

FIG. 58A

59/69

```

<!-- (OPTIONAL) DESCRIPTION OF ENRICHMENT PERFORMED AT OTHER DOCUMENT ENRICHMENT
SYSTEMS>
<docsouls:serverid>olderServerId</docsouls:serverid>
<docsouls:personalitydescription>...</docsouls:personalitydescription>
<docsouls:serviceid>...</docsouls:serviceid>

<!-- (OPTIONAL) LIST OF RESULTS OF THE LAST ENRICHMENT>
<!-- IDENTIFY DOCUMENT SECTION IN CASE OF MULTI-PART DOC>
<docsouls:docpart>main frame.html</docsouls:docpart>
<!-- OFFSET WHEN ENRICHMENT APPLIES TO A SECTION>
<docsouls:offset> 0 200 </docsouls:offset>
<!-- STATUS OF SERVICE APPLIED ("ACTIVE" OR "FROZEN")>
<docsouls:service id="StockQuote" status="active">
  <!-- ENTITY>
  <docsouls:entity>>Xerox
    <!-- NORMALIZED FORM>
    <docsouls:normalized>Xerox</docsouls:normalized>
    <!-- LIST OF OFFSETS WHERE ENTITY IS FOUND IN TEXT RELATIVE TO SECTION>
    <docsouls:offsets start=35 end=40 />
    <!-- DICTIONARIES>
    <docsouls:dict> xxx </docsouls:dict>
    <!-- STRATEGIES>
    <docsouls:strat> xxx </docsouls:strat>
    <!-- LINK INFORMATION>
    <docsouls:link> xxx </docsouls:link>
    <!-- CONTENT INFORMATION>
    <docsouls:content> xxx </docsouls:content>
  </docsouls:entity>
  <!-- NEXT ENTITY>
  ...
</docsouls:service>

```

FIG. 58B

60/69




FIG. 59

61/69




FIG. 60

62/69




FIG. 61



64/69




FIG. 63

65/69




FIG. 64

66/69




FIG. 65

67/69




FIG. 66

6600

6606

6604

6602

68/69




FIG. 67

69/69

DOCUMENT SOUL SERVICES CONFIGURATION

6800

Abstracts

Abstracts from Compendex

Abstracts from Websters

STANDARD

STANDARD

Unknown

Unknown

LOW

LOW

request office

webinfo abstracts

none

none

LINK

LINK

6802

6804

Industry Standards

Patents and I/Ps

Engineering Handbooks

Technical News

Technical Information

6800

6804

Abstracts from Compendex dictionaries

Name

electrical Engineering names

Category

/Science/Technology/
/Society/People/

Select

☒

☒

FIG. 68